



SPECIFICATION OF TRANSPORT PALLETS

Please note: solid wood packaging being used to import into Australia must be ISPM 15 compliant or fumigation will be required.

Australian standard pallets

1165 x 1165mm



These pallets are standard in Australia only.

Moreso used for storage and distribution, these pallets are not suitable for packing in standard 20' and 40' containers.

Standard pallet

1200 x 1000mm



Commonly referred to as export pallets, they are used for loading in standard 20' and 40' containers.

EUR pallets

1200 x 800mm



These pallets most common in European countries, India, Latin America and New Zealand. EUR pallets can be used for loading into standard 20' and 40' containers.

CONTAINER PALLET CONFIGURATION DIAGRAMS

Single layer packing (not to scale)

Standard pallets 1200 x 1000mm

20 Foot Container

10 Standard Pallets



EUR pallets 1200 x 800mm

20 Foot Container

11 EUR Pallets



Standard pallets 1200 x 1000mm

40 Foot Container


21 Standard Pallets



EUR pallets 1200 x 800mm

40 Foot Container

24 EUR Pallet



CONTAINER SPECS

	20' x 8' x 8'6" 20GP	40' x 8' x 8'6" 40GP	40' x 8' x 9'6" 40HC
Container size			
Internal dims			
Length (MM)	5900	12034	12034
Width (MM)	2352	2352	2352
Height (MM)	2393	2395	2700
Door Opening			
Width (MM)	2340	2340	2340
Height (MM)	2280	2280	2585
Nominal Capacity (cu.m)	33.2	67.8	76.4
Maximum Gross weight (KG)	30480	30480/32500	30480/32500
Average tare (KG)	2230	3720	3900
Maximum payload (KG)	28250	26760/28780	26580/28600